



BICYCLE TIRES CATALOG



HEAD OFFICE

No.300, Sec. 2, Chung-Shan Rd., Ta-Tsun
Township, Chang-Hua County 515, Taiwan
Tel :886-4-8520121 Fax :886-4-8525833
E-mail:durodome@duro.com.tw
website:www.duro.com.tw

SALES OFFICE

Room 815, 8F, 152 Sung-Chiang Rd., Taipei, Taiwan
P.O. Box 67-96, Taipei, Taiwan
Tel: 886-2-25319833 Fax:886-2-25221630, 25221184
E-mail:duroexp2@duro.com.tw
website:www.duro.com.tw

HWA FONG RUBBER(USA)INC.

14290 Lochridge Blvd, Covington, Georgia 30014 U.S.A.
Tel: 770-7882060 Fax: 770-7882099
E-mail:service@durotire.com
website:www.durotire.com

HWA FONG RUBBER(CHINA)CO.,LTD.

No.1 Chang Jiang Road,
Changshu, jiangsu, China
Tel :86-512-52811788 Fax: 86-512-52813323

HWA FONG RUBBER(THILAND)PUBLIC CO.,LTD.

317 Moo 4, Soi 6C, Bangpoo Industrial Estate.
Samutprakarn 10280 Thailand
Tel :66-2-7096580 Fax:66-2-3240483.3240484

INDEX

02 ABOUT US

03 TECH-DEFINITIONS/TRUSHINE

04 TECH-TIRE CONSTRUCTION

05 NEW PRODUCTS

07 MTB

DB-7046	DB-1077	DB-1046	HF-889	HF-840	HF-823	HF-801	HF-149	HF-100
DB-5027	DB-1075	DB-1021	HF-888	HF-835	HF-820	HF-190	HF-115	
DB-5014	DB-1072	DB-1007	HF-878	HF-830	HF-818	HF-189	HF-107	
DB-1082	DB-1070	DB-1003	HF-860	HF-828	HF-817	HF-179	HF-107A	
DB-1081	DB-1049	DB-1003A	HF-860A	HF-827	HF-815	HF-174	HF-101	
DB-1078	DB-1048	DB-1001A	HF-850	HF-825	HF-813	HF-171	HF-101A	

14 FAT / PLUS

DB-9041
DB-9040
DB-1080
DB-1072A

14 CYCLOCROSS

DB-1076
DB-7046

15 ATB

DB-5042	HF-856	HF-822	HF-148A
DB-1005	HF-855	HF-808	HF-141
DB-1004	HF-827A	HF-806	HF-104
HF-880	HF-824	HF-165	

18 DH

DB-1046	DB-1006HP	DB-7053	DB-7044	DB-7035	HF-878	HF-811	HF-184	HF-109
DB-1034	DB-1002	DB-7046	DB-7042	DB-7034	HF-867	HF-810	HF-166	HF-105
DB-1006	DB-1001A	DB-7045	DB-7041	HF-880	HF-822	HF-185	HF-117	HF-102

19 TREKKING / TOUR

23 URBAN

DB-9020	DB-7044	DB-7010	HF-180	HF-160A	HF-146	HF-124	HF-110
DB-7088	DB-7042	DB-5015	HF-163	HF-156	HF-145	HF-121	HF-109
DB-7070	DB-7034	HF-842	HF-162	HF-156A	HF-142	HF-120A	HF-105
DB-7053	DB-7033	HF-810	HF-161	HF-153	HF-133	HF-113	HF-103
DB-7051	DB-7032	HF-183	HF-161A	HF-151	HF-131	HF-112	
DB-7045	DB-7020	HF-182	HF-160	HF-151A	HF-130	HF-111	

30 CRUISER

DB-1022
DB-1012
HF-851
HF-103

30 RACING

DB-7060	HF-187
DB-7048	HF-177
DB-7047	HF-176
DB-7043	HF-156
DB-7001	HF-156B

32 BMX & FREE STYLE

DB-5060	DB-5026	HF-841	HF-148	HF-118
DB-5056	DB-5002	HF-836	HF-147	
DB-5055	DB-1046	HF-833	HF-144	
DB-5035	HF-884	HF-831	HF-143	
DB-5031	HF-864	HF-164	HF-143G	

35 ELECTRIC BIKE

DB-9021	DB-7080	DB-7075	DB-7023
DB-9003	DB-7077	DB-7072	DB-7009
DB-9002	DB-7076	DB-7059	

ABOUT DURO

Duro Tire has been around since 1945, and in that time, we've learned a few things about making tires and tubes. First, we build over 50 years of technological know-how into everything we make, ensuring that each product is designed and manufactured with safety, long life, and maximum effectiveness for your particular application. Second, we never stop improving our existing products, as well as expanding our range to include tire and tube designs covering the widest range of uses possible. As your tire needs change, our R&D capabilities are right there, with products that maximize your effectiveness in every application.

In addition to our premium bicycle tires and tubes, Duro produces a complete range of specialty tires. From ATV to Moto, to industrial and passenger car tires, Duro has your entire tire needs covered. Our manufacturing capability spans the globe, and our sales network is worldwide. Our product range covers the entire gamut of OEM and aftermarket applications, and our design and manufacturing capabilities are world-class.

Duro has manufacturing facilities throughout Asia, as well as sales offices in the US, Asia and Europe.

For all your bicycle and specialty tire and tube needs, look no farther than Duro Tires. For more information on the entire Duro product line, visit our website at www.duro.com.tw or www.durotire.com



USA



THAILAND



CHINA

TAIWAN



BMX



ROAD



MTB



CITY

TECH DEFINITIONS

WIRE BEAD

Strands of wire coiled together, that secures the tire to the rim wall when tire is inflated.

FOLDABLE BEAD

Available in Aramid or Kevlar, is lighter than a wire bead, while ensuring the same adhesion of tire to the rim.

TUBELESS READY



Duro's MTB range features both bead and carcass technologies that allow for the use of tubeless sealant systems. Effectiveness of the tubeless "seal" will vary depending on the effectiveness of the sealant system.

THREADS PER INCH (TPI)

Threads per inch (TPI) refers to the number of nylon threads that are laid upon one square inch of the tire's casing. Lower TPI counts give a more responsive tire feel. Duro features TPI counts from 22 TPI, all the way up to 150 TPI throughout our range.

RUBBER COMPOUNDS

SLOW REBOUND COMPOUND

Available as special order only, Slow Rebound is our most supple compound. Slow Rebound dramatically increases tire adhesion to any surface. Designed primarily for Gravity competition applications, Slow Rebound Compounds wear more quickly than harder compounds.

52A RECOIL

Duro's 52A Recoil compound combines the best qualities of harder compounds with the added resiliency of a soft compound. Available throughout Duro's Gravity line.

MAXIMUM REFLECTION FOR RIDING SAFETY

Duro's TruShine™ reflective strip technology increases the tire's reflective surface from a typical 5mm, to anywhere between 9 and 18 mm, depending on tire size. This width effectively doubles the reflective area visible to oncoming vehicle traffic, exponentially increasing your safety.

Duro uses a proprietary ink imprint technology on the reflective surface, giving the reflective strip an elegant, gridded appearance, similar to a carbon weave pattern. Custom ink patterns are available on a special order basis. Featured on all of Duro's city, commuting, and beach tires, TruShine™ reflective strips enhance the appearance of your bicycle, all the while keeping you safe on the street.

60A

Our standard rubber hardness throughout our MTB, BMX, and Urban applications, Duro's 60A rubber hardness allows for a very responsive surface feel, while providing a high degree of puncture protection and low rolling resistance.

70A

Available on our road training and urban tires, Duro's 70A compound features a steady, smooth ride and minimum rolling resistance.

DURO TECHNOLOGY

With decades of research and designs to draw from, our R&D team offers tires and tube technologies that exceed even the most stringent testing requirements, bringing to you the most advanced compounds and casings available. Our 2015 lineup features the following compound and casing technologies.



For 2015, Duro is introducing a line of electric bike-specific tires. Due to the unique demands that electric bicycles place on tires, Duro now offers a line that features compounds, casings, and sidewalls that allow for an electric bicycle's increased weight load, and decreases e-bike battery drain. Look for Duro's eVolve electric bicycle beginning late spring 2015.



DURO SHIELD PUNCTURE PROTECTION

A 1mm special undertread layer provides protection against street punctures, while increasing tread stiffness and allowing the tire to maintain shape under cornering and braking forces.

DURO SHIELD PLUS PUNCTURE PROTECTION

The best choice for city and commuting applications, DuroShield Plus offers a 3 or 5mm undertread layer, featuring a complex structured compound lying between the tire tread and carcass.

MOTOR CASING

Derived from our manufacturing experience in powered vehicles, Motor casing dramatically increases lateral stiffness and resistance to deformation. Particularly effective in downhill applications.


DUPONT'S KEVLAR® GUARD

Kevlar's effectiveness as a snakebite resistant casing is well known. Dupont's Kevlar® Guard offers maximum protection through increasing the stiffness of the body, allowing the tire to resist deformation in high speed cornering and braking applications.



HOOK-UP DESIGN

Our Hook-Up Design reinforces the close attachment between the tire bead and rim. A round groove of rubber stripping is added to the rim line.



D TECH

D Tech is Duro's exclusive Breaker technology. Built into the casing, D Tech protects the tire bead to bead, strengthens the sidewall, extends tire life and minimizes deformation.



The demands of today's Mountain Downhill and Freeride courses require a tire compound that provides maximum stickiness, while allowing minimum roll resistance. Available in both the Razorback and Muckmeister mud tire, RECOIL 52A Compound ensures that every downhill and freeride run is fast, and our non-slip grip allows you to hold your line no matter what the course conditions dictate.

MTB



DB-1080 Crux

- Big breadth of tire profile design mainly reduces the impact force on down-hill riding, it also enhances abilities on absorbing shocks and controlling stability.
- Tread pattern with transverse layouts could promote driving performance.
- The special profile and layout of knobs on tire shoulder could enhance cornering performance.



DB-1072A Miner

- Intensive tread knob layout offers excellent traction and gripping power.
- Shoulder tread knobs connected design enhances cornering grip power and stability.

TLR



DB-1078 Cypher

- Designed from bikers' riding experience
- Excellent all-mountain tread
- Hi-gripping power and strongly puncture protection
- Available for TLR (Tubeless Ready)



DB-1077 Infidel

- Squared knob profile
- Excellent all-mountain tread
- Hi-gripping power and strongly puncture protection
- Available for TLR(Tubeless Ready)

FAT BIKE



DB-9040 Big D

- Low profile knobs for decreased rolling resistance
- Perfect for hardpack, sand, or snow
- Available in supple 150 TPI casing



DB-9041 Fleetwood

- Intensive tread knob layout offers excellent traction and gripping power.
- Shoulder tread knobs connected design enhances cornering grip power and stability.

BMX



DB-5060 El Jefe

- Designed for BMX and freestyle riders
- V shaped grooves and diamond knurled tread surface provide riders well controlling and gripping power
- Special pattern layout gives riders more confidence

E-BIKE



RACING



DB-7048 Dorado

- Ensure a fast rolling rate and maximum road adhesion at 120 TPI
- Features a smooth centerline with diamond knurled tire shoulder to allow for improved cornering and confidence



DB-7072 Charger

- Part of Duro's new Evolve line of e-bike specific tires 3mm undertread for added flat protection and stability
- Sidewall D TECH to help bear an e-bikes heavier weight load
- Harder rubber compound helps increase battery life




DB-7075 Charger EXC.

- Part of Duro's new Evolve line of e-bike specific tires 3mm undertread for added flat protection and stability
- Sidewall D TECH to help bear an e-bikes heavier weight load
- Harder rubber compound helps increase battery life



DB-7046 Moejoe CX

Spec	ETRTO	Note
26x1.95	(52-559)	● ●
700x35C	(37-622)	●



DB-1081 Chongo

Spec	ETRTO	Note
27.5x2.40	(60-584)	●

NEW



DB-1072 Miner

Spec	ETRTO	Note
24x1.95	(50-507)	●
26x1.95	(50-559)	● ●
26x2.10	(54-559)	● ● ●
27.5x1.95	(50-584)	●
27.5x2.10	(54-584)	● ● ●
29x1.95	(50-622)	●
29x2.10	(54-622)	● ● ●



DB-1046 Berm Master

Spec	ETRTO	Note
20x2.10	(56-406)	●
24x2.35	(60-507)	● ●
26x1.95	(47-559)	●
26x2.10	(54-559)	●
26x2.25		●
26x2.35	(60-559)	● ● ●
26x2.55		●



DB-5027

Spec	ETRTO	Note
14x2.125	(57-254)	●



DB-1078 Cypher

Spec	ETRTO	Note
27.5x2.10	(54-584)	● ● ●
27.5x2.35	(60-584)	●
27.5x2.80	(70-584)	●
29x2.10	(54-622)	● ● ●
700x40C	(42-622)	●

NEW



DB-1070

Spec	ETRTO	Note
26x2.10	(54-559)	●



DB-1021 Muckmeister

Spec	ETRTO	Note
26x1.75	(47-559)	●
26x2.30	(58-559)	●



DB-5014

Spec	ETRTO	Note
18x1.95	(54-355)	●



DB-1077 Infidel

Spec	ETRTO	Note
27.5x2.25	(57-584)	●
27.5x2.35	(60-584)	●

NEW



DB-1049 Trans Fire

Spec	ETRTO	Note
26x1.95	(47-559)	●



DB-1007 Wildlife Wolf

Spec	ETRTO	Note
26x1.95	(54-559)	● ● ●



DB-1082 Tempter

Spec	ETRTO	Note
27.5x2.40	(60-584)	●

NEW



DB-1075 Switch

Spec	ETRTO	Note
26x2.20	(57-559)	●
26x2.50	(63-559)	●
27.5x2.20	(56-584)	●
27.5x2.35	(60-584)	●
29x2.35	(60-622)	●



DB-1048

Spec	ETRTO	Note
26x1.95	(47-559)	●



DB-1003 Triton

Spec	ETRTO	Note
26x2.00	(54-559)	● ● ●
29x2.20	(56-622)	●



DB-1003A Triton

Spec	ETRTO	Note
27.5x2.20	(56-584)	● ●
26x2.20	(56-559)	●
27.5x2.35	(60-584)	●



HF-878 Spitfire

Spec	ETRTO	Note
14x1.75	(47-254)	●
16x1.75	(47-305)	● ●
16x2.00	(54-305)	● ●
20x1.75	(47-406)	● ● ●
20x2.00	(54-406)	● ●
22x1.75	(47-456)	●
24x1.75	(47-507)	● ● ●
24x2.00	(54-507)	● ● ●
26x1.50	(40-559)	●
26x1.75	(47-559)	● ●
26x1.90	(50-559)	● ●
26x1.95	(54-559)	●
26x2.00	(54-559)	● ● ●
28x1.75	(47-622)	● ●
700x38C	(40-622)	● ●
700x40C	(42-622)	● ●



HF-850 Rodeo

Spec	ETRTO	Note
26x2.10	(54-559)	● ●



HF-828 Striker

Spec	ETRTO	Note
20x2.00	(54-406)	● ● ●
24x2.00	(54-507)	● ● ●
26x2.00	(54-559)	●
26x2.10	(56-559)	● ● ●



DB-1001A Gremlin
Gremlin XC

Spec	ETRTO	Note
20x1.75	(47-406)	●
24x1.75	(47-507)	●
26x1.95	(50-559)	● ● ●
26x2.10	(54-559)	●
29x2.20	(56-622)	●



HF-840 Grave Digger

Spec	ETRTO	Note
26x2.10	(54-559)	●



HF-827 Raider

Spec	ETRTO	Note
14x1.75	(47-254)	● ●
16x1.75	(47-305)	● ●
18x1.75	(47-355)	● ●
20x1.75	(47-406)	● ● ●
20x1.90	(50-406)	●
20x1.95	(54-406)	●
20x2.00	(54-406)	● ●
20x2.125	(57-406)	●
24x1.75	(47-507)	● ● ●
24x1.95	(54-507)	● ●
24x2.125	(57-507)	●
26x1.75	(47-559)	● ●
26x1.95	(54-559)	● ● ●
26x2.10	(56-559)	● ●
26x2.125	(57-559)	● ●



HF-889 Drive

Spec	ETRTO	Note
26x2.10	(54-559)	● ●
26x2.20	(58-559)	●



HF-860 Matador

Spec	ETRTO	Note
26x2.10	(54-559)	● ● ●



HF-835 Landmark

Spec	ETRTO	Note
20x2.00	(54-406)	●
20x2.125	(57-406)	● ●
26x2.10		● ●



HF-888 Turn

Spec	ETRTO	Note
14x2.125		●
24x2.10		● ●
26x2.10	(54-559)	● ● ●
26x2.20	(58-559)	●



HF-860A Matador

Spec	ETRTO	Note
26x1.95	(50-559)	●
27.5x2.20	(56-584)	●
27.5x2.35	(60-584)	●
29x2.20	(56-622)	●



HF-830 Marvick

Spec	ETRTO	Note
20x2.10	(55-406)	● ●
24x2.10	(50-507)	●
26x2.10	(56-559)	● ●
26x2.30		●



HF-825 Trooper

Spec	ETRTO	Note
26x2.10	(55-559)	●



HF-823 Hacker

Spec	ETRTO	Note
24x2.10	(47-507)	●
26x2.00	(54-559)	●
26x2.10	(56-559)	●



HF-815 Double Impact

Spec	ETRTO	Note
20x1.95		●
20x2.00	(54-406)	● ●
24x2.00	(54-507)	●
26x2.00	(54-559)	● ●



HF-190 Cross Mountain

Spec	ETRTO	Note
24x1.95	H.B.(54-507)	● ●
26x1.95	H.B.(54-559)	●



HF-174

Spec	ETRTO	Note
16x1.75	(47-305)	●
16x1.90	(50-305)	●
20x1.75	(47-406)	●
20x1.90	(50-406)	●
20x2.125	(54-406)	● ●
24x1.75	(47-507)	●
24x1.90	(50-507)	●
26x1.75	(47-559)	● ●
26x1.90	(50-559)	● ●



HF-820 Rugged Sport

Spec	ETRTO	Note
26x1.95	(54-559)	●
26x2.10	(56-559)	●



HF-813 Rock Runner

Spec	ETRTO	Note
26x1.75	(47-559)	●



HF-189 Wolverine

Spec	ETRTO	Note
24x1.95	(54-507)	● ●
26x1.95	(54-559)	● ● ●



HF-171 Hunter Charley

Spec	ETRTO	Note
26x1.95	(54-559)	● ●



HF-818 Rocky Fighter

Spec	ETRTO	Note
20x2.00	(54-406)	● ● ●
24x2.00	(54-507)	●
26x2.00	(54-559)	● ●



HF-801 Rugged Wolf

Spec	ETRTO	Note
16x2.00	(54-305)	●
20x2.00	(54-406)	● ● ●
24x2.00	(54-507)	● ● ●
26x2.00	(54-559)	● ● ●



HF-179 Power Grip

Spec	ETRTO	Note
20x2.125	(57-406)	●



HF-149

Spec	ETRTO	Note
26x2.125	(57-559)	●

HF-817 Super Wolf

Spec	ETRTO	Note
26x2.10	H.B.(56-559)	●



HF-115 Black Leopard

Spec	ETRTO	Note
26x2.10	(56-559)	●



HF-101A Country Safari

Spec	ETRTO	Note
16x1.75	(47-305)	●
16x2.00	(54-305)	● ●
20x2.00	(54-406)	● ● ●
22x1.75	(47-457)	● ●
24x1.75	(47-507)	●
26x1.75	(47-559)	●



HF-107A Rocky Wolf

Spec	ETRTO	Note
20x2.00	(54-406)	●
24x2.10	(56-507)	● ●
26x1.90	(50-559)	● ●
26x2.10	(56-559)	● ● ●



HF-101 Country Safari

Spec	ETRTO	Note
24x1.95	(54-507)	● ●
24x2.00	(54-507)	●
26x1.95	(54-559)	● ●



HF-107 Rocky Wolf

Spec	ETRTO	Note
20x1.75	(47-406)	●
20x2.00	(54-406)	●
24x2.10	(56-507)	● ● ●
26x2.10	(56-559)	● ● ●
26x2.50		●



HF-100 Trail Master

Spec	ETRTO	Note
26x1.95	(54-559)	●



DB-9041 Fleetwood

Spec	ETRTO	Note
24x4.00	(100-507)	●
26x4.00	(100-559)	●



DB-9040 Big D

Spec	ETRTO	Note
26x4.00	(100-559)	●



DB-1080 CruX

Spec	ETRTO	Note
27.5x3.00	(76-584)	●
27.5x3.25	(82-584)	●
29x3.00	(76-622)	●
29x3.25	(82-622)	●



DB-1072A Miner

Spec	ETRTO	Note
27.5x3.00	(76-584)	●
27.5x3.25	(82-584)	●
29x3.00	(76-622)	●
29x3.25	(82-622)	●



DB-7046 Moejoe CX

Spec	ETRTO	Note
700x35C	(37-622)	●




DB-1076 HUP!

Spec	ETRTO	Note
700x32C	(32-622)	●



DB-5042

Spec	ETRTO	Note
12 1/2x1.75x2 1/4	(47-203)	●
14x1.75	(47-254)	●
16x1.90	(50-305)	●



HF-880 Ellie Mae CX

Spec	ETRTO	Note
26x1.95	(52-559)	●
26x2.00	(54-559)	● ● ●
700x35C	(37-622)	● ● ●



HF-827A

Spec	ETRTO	Note
20x2.00	(54-406)	● ●
24x2.00	(54-507)	●



HF-822 Diamond Grip

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	● ●
14x1 3/8x1 5/8	(44-288)	● ●
14x2.125		●
16x1.75	(47-305)	● ●
16x2.125	(57-305)	●
20x1.75	(47-406)	●
20x2.00	(54-406)	● ●
20x2.125	(57-406)	●
24x1.75	(47-507)	● ● ●
24x1.95	(54-507)	● ●
24x2.00	(54-507)	● ● ●
26x1.75	(47-559)	● ● ●
26x1.95	(54-559)	● ● ●
26x2.00	(54-559)	● ● ●
700x35C	(37-622)	● ●
700x38C	(40-622)	● ●



DB-1005 Wildlife Mantis

Spec	ETRTO	Note
26x1.95	(52-559)	● ●



HF-856 Fore-Play

Spec	ETRTO	Note
24x1.90	(50-507)	● ●
26x1.90	(50-559)	● ●
26x2.00	(54-559)	● ● ●



HF-824 Intercity

Spec	ETRTO	Note
26x2.00	(54-559)	● ● ●



DB-1004 Wildlife Antelope

Spec	ETRTO	Note
26x1.95	(52-559)	● ● ●



HF-855 Rocky Tour

Spec	ETRTO	Note
26x2.00	(54-559)	●





HF-808 Mustang

Spec	ETRTO	Note
24x1.75	(47-507)	●



HF-148A

Spec	ETRTO	Note
20x1.75	(47-406)	●
24x1.75	(47-507)	●
24x2.125	(57-507)	●
26x2.125	(57-559)	● ●



HF-806 Town&Hill

Spec	ETRTO	Note
26x1.95	(54-559)	●



HF-141

Spec	ETRTO	Note
16x1.75	(47-305)	●
16x2.125	(57-305)	●
20x1.75	(47-406)	● ●
20x2.125	(57-406)	● ●
24x1.75	(47-507)	●
26x1 1/2		●
26x1.75	(47-559)	● ●
26x2.125	(57-559)	● ● ●



HF-165

Spec	ETRTO	Note
20x1.75	(47-406)	● ●
20x1.90	(50-406)	●
24x1.75	(47-507)	● ● ●
24x1.90	(50-507)	● ●
24x2.125	(57-507)	● ● ●
26x1.50	(40-559)	●
26x1.75	(47-559)	● ● ●
26x1.90	(50-559)	● ●
26x2.125	(57-559)	● ● ●



HF-104 Himalayas

Spec	ETRTO	Note
24x1.90	(50-507)	●
26x1.90	(50-559)	●



DB-1046 Berm Master

Spec	ETRTO	Note
20x2.10	(56-406)	●
24x2.35	(60-507)	● ●
26x1.95	(47-559)	●
26x2.10	(54-559)	●
26x2.25		●
26x2.35	(60-559)	● ● ●
26x2.55		●



DB-1006HP Razorback

Spec	ETRTO	Note
24x2.60	(65-507)	●
24x3.00	(70-507)	●
26x2.60	(65-559)	●
26x3.00	(70-559)	●



DB-1034

Spec	ETRTO	Note
24x2.60	(58-507)	●
26x2.60	(58-559)	●



DB-1002 H-Bomb

Spec	ETRTO	Note
26x2.30	(58-559)	●



DB-1006 Razorback

Spec	ETRTO	Note
24x2.50	(64-507)	●
24x2.60	(65-507)	●
24x3.00	(76-507)	●
26x2.10	(54-559)	●
26x2.35	(60-559)	●
26x2.50	(64-559)	●
26x3.00	(76-559)	● ●



DB-1001A Gremlin XC

Spec	ETRTO	Note
26x1.95	(50-559)	● ● ●
26x2.10	(54-559)	●
29x2.20	(56-622)	●



DB-7053 Easy Ride

Spec	ETRTO	Note
14x2.00	(50-254)	●
16x1.50	(37-305)	●
16x2.00	(50-305)	●
18x1.25		●
20x1.95	(50-406)	●
24x2.00	(50-507)	●
24x2.125	(57-507)	●
26x1.50	(37-559)	●
26x1 1/2x2		●
26x1.75	(47-559)	●
26x2.125	(57-559)	●
27.5x1.75	(47-584)	●
28x1.75	(47-622)	●
28x2.00	(50-622)	●
28x2.35	(60-622)	●
700x32C		●
700x35C	(37-622)	●
700x38C	(40-622)	●



DB-7045 Granada

Spec	ETRTO	Note
12 1/2x1.75x2 1/4	(47-203)	●
14x1 3/8x1 5/8	(44-288)	●
16x1.75	(47-305)	●
20x1.75	(47-406)	●
24x1 3/8	(37-540)	●
26x1 3/8	(37-590)	●
26x1.75	(47-559)	●
28x1.75	(47-622)	●
700x35C	(37-622)	●
700x38C	(40-622)	●



DB-7044 Cordoba

Spec	ETRTO	Note
16x1.75	(47-305)	●
20x1.75	(47-406)	●
24x1.75	(47-507)	●
26x1.75	(47-559)	●
28x1.75	(47-622)	●
700x35C	(37-622)	●
700x38C	(40-622)	●
700x40C	(42-622)	●



DB-7046 MoeJoeCX

Spec	ETRTO	Note
26x1.95	(52-559)	●
700x35C	(37-622)	●



DB-7042 Endurance

Spec	ETRTO	Note
16x2.125	(57-305)	●
16x2.50	(64-305)	●
16x3.00		●
18x2.125	(57-355)	●
18x2.50	(64-355)	●
20x1.75	(47-406)	●
22x1.75	(47-456)	●
26x1.75	(47-559)	●
28x1.75	(47-622)	●
700x38C	(40-622)	●



DB-7041

Spec	ETRTO	Note
700x35C	(37-622)	●



DB-7035 Sevilla

Spec	ETRTO	Note
26x1.75	(47-559)	●
28x1 5/8x1 1/4	(32-622)	●
700x35C	(37-622)	●



DB-7034 Sierra

Spec	ETRTO	Note
16x1.50	(37-305)	●
22x1.95	(50-456)	●
26x1.50	(37-559)	●
26x1.75	(47-559)	●
28x1.75	(47-622)	●
700x35C	(37-622)	●



HF-880 Ellie Mae CX

Spec	ETRTO	Note
26x1.95	(52-559)	●
26x2.00	(54-559)	●
700x35C	(37-622)	●



HF-878 Spitfire

Spec	ETRTO	Note
14x1.75	(47-254)	●
16x1.75	(47-305)	●
16x2.00	(54-305)	●
20x1.75	(47-406)	●
20x2.00	(54-406)	●
22x1.75	(47-456)	●
24x1.75	(47-507)	●
24x2.00	(54-507)	●
26x1.50	(40-559)	●
26x1.75	(47-559)	●
26x1.90	(50-559)	●
26x1.95	(54-559)	●
26x2.00	(54-559)	●
28x1.75	(47-622)	●
700x38C	(40-622)	●
700x40C	(42-622)	●



HF-867 Speed Fighter

Spec	ETRTO	Note
700x38C	(40-622)	●



HF-811 Euromaster

Spec	ETRTO	Note
700x35C	(35-622)	●
700x40C	(42-622)	●



HF-184 Country Challenger

Spec	ETRTO	Note
700x38C	(40-622)	●



HF-109 Cross Ranger

Spec	ETRTO	Note
14x1.75	(47-254)	●
16x1.90	(50-305)	●
24x1 3/8	(37-540)	● ● ●
26x1 3/8	(37-590)	● ● ●
26x1.95	(54-559)	●
28x1.75	(47-622)	●
700x35C	(37-622)	● ●
700x38C	(40-622)	● ● ●



HF-822 Diamond Grip

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	● ●
14x1 3/8x1 5/8	(44-288)	● ●
14x2.125		●
16x1.75	(47-305)	● ●
16x2.125	(57-305)	●
20x1.75	(47-406)	●
20x2.00	(54-406)	● ●
20x2.125	(57-406)	●
24x1.75	(47-507)	● ● ●
24x1.95	(54-507)	● ●
24x2.00	(54-507)	● ● ●
26x1.75	(47-559)	● ● ●
26x1.95	(54-559)	● ● ●
26x2.00	(54-559)	● ● ●
700x38C	(37-622)	● ●
700x38C	(40-622)	● ●



HF-810 Twin March

Spec	ETRTO	Note
20x1.75	(47-406)	●
20x2.00	(54-406)	● ●
24x1.75	(47-507)	●
24x2.00	(54-507)	● ● ●
26x1 3/8	(37-590)	●
26x1.50	(40-559)	●
26x1.75	(47-559)	●
26x2.00	(54-559)	● ● ●
28x1.75	(47-622)	●
700x38C	(40-622)	● ●



HF-166 Country Cruiser

Spec	ETRTO	Note
700x35C	(37-622)	● ●



HF-105 City Cavalier

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	●
16x1.75	(47-305)	●
20x1.75	(47-406)	●
20x1.95	(54-406)	●
24x1.75	(47-507)	●
26x1.50	(40-559)	● ●
26x1.95	(54-559)	● ● ●
700x38C	(40-622)	●



HF-185 Country Pioneer

Spec	ETRTO	Note
700x38C	(40-622)	●



HF-117 Crossover

Spec	ETRTO	Note
700x35C	(37-622)	●
700x38C	(40-622)	●



HF-102 Himalayas

Spec	ETRTO	Note
700x41C	(43-622)	●



DB-9020 (Heavy Duty)

Spec	ETRTO	Note
28x1 1/2	(40-635)	● ●



DB-7053 Easy Ride

Spec	ETRTO	Note
14x2.00	(50-254)	●
16x1.50	(37-305)	●
16x2.00	(50-305)	●
18x1.25		●
20x1.95	(50-406)	●
24x2.00	(50-507)	●
24x2.125	(57-507)	●
26x1.50	(37-559)	●
26x1 1/2x2		●
26x1.75	(47-559)	●
26x2.125	(57-559)	● ●
27.5x1.75	(47-584)	●
28x1.75	(47-622)	●
28x2.00	(50-622)	●
28x2.35	(60-622)	●
700x32C		●
700x35C	(37-622)	● ●
700x38C	(40-622)	●



DB-7088 Urbotronic

Spec	ETRTO	Note
700x28C	(28-622)	●



DB-7070 Fixie Pops

Spec	ETRTO	Note
700x24C	(24-622)	●



DB-7051

Spec	ETRTO	Note
24x1.50	(40-507)	●
26x1.50	(40-559)	●



DB-7045 Granada

Spec	ETRTO	Note
12 1/2x1.75x2 1/4	(47-203)	●
14x1 3/8x1 5/8	(44-288)	●
16x1.75	(47-350)	●
20x1.75	(47-406)	● ●
24x1 3/8	(37-540)	●
26x1 3/8	(37-590)	●
26x1.75	(47-559)	●
28x1.75	(47-622)	● ●
700x35C		●
700x35C	(40-622)	● ●



DB-7042 Endurance

Spec	ETRTO	Note
16x2.125	(57-305)	●
16x2.50	(64-305)	●
16x3.00		●
18x2.125	(57-355)	●
18x2.50	(64-355)	●
20x1.75	(47-406)	●
22x1.75	(47-456)	●
26x1.50	(37-559)	●
26x1.75	(47-559)	● ●
28x1.75	(47-622)	● ●
700x38C	(40-622)	●



DB-7044 Cordoba

Spec	ETRTO	Note
16x1.75	(47-305)	●
20x1.75	(47-406)	● ●
24x1.75	(47-507)	● ●
26x1.75	(47-559)	● ● ●
28x1.75	(47-622)	● ●
700x35C	(37-622)	● ● ●
700x38C	(40-622)	● ● ●
700x40C	(42-622)	● ● ●



DB-7034 Sierra

Spec	ETRTO	Note
16x1.50	(37-305)	●
22x1.95	(50-456)	●
26x1.50	(37-559)	● ●
26x1.75	(47-559)	● ●
28x1.75	(47-622)	●
700x35C	(37-622)	● ●



DB-7033

Spec	ETRTO	Note
20x1.75	(47-406)	●



DB-7032

Spec	ETRTO	Note
26x1 3/8	(37-590)	●



HF-842

Spec	ETRTO	Note
24x1 3/8	(37-540)	●
26x1 3/8	(37-590)	●
27x1 3/8	(37-630)	●



HF-182

Spec	ETRTO	Note
12 1/2x1.75x2 1/4	(47-203)	●



HF-161 Super Snow & Rain

Spec	ETRTO	Note
12x1 3/8	(37-248)	●
14x1 3/8x1 5/8	(44-288)	●
26x1 3/8	(37-590)	● ●



DB-7020

Spec	ETRTO	Note
24x1 3/8	(37-540)	●
26x1 3/8	(37-590)	●
28x1 5/8x1 3/8	(37-622)	● ●
28x1 1/2	(40-635)	●



HF-810 Twin March

Spec	ETRTO	Note
20x1.75	(47-406)	●
20x2.00	(54-406)	● ●
24x1.75	(47-507)	●
24x2.00	(54-507)	● ● ●
26x1 3/8	(37-590)	●
26x1.50	(40-559)	●
26x1.75	(47-559)	●
26x2.00	(54-559)	● ● ●
28x1.75	(47-622)	●
700x38C	(40-622)	● ●



HF-180

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	● ●



HF-161A Super Snow & Rain

Spec	ETRTO	Note
16x1.75	(47-305)	● ●
20x1.75	(47-406)	●
26x1.75	(47-559)	●
28x1.75	(47-622)	●



DB-7010

Spec	ETRTO	Note
20x1 1/8	(28-451)	●
24x1 3/8	(37-540)	●
26x1 3/8	(37-590)	●
28x1 5/8x1 3/8	(37-622)	●



HF-163

Spec	ETRTO	Note
24x1 3/8	(37-540)	● ●
26x1 3/8	(37-590)	●



HF-160A

Spec	ETRTO	Note
14x1.75	(47-254)	● ●
16x1.75	(47-305)	● ● ●
18x1.75	(47-355)	● ● ●
20x1.75	(47-406)	● ● ●
26x1 3/8	(37-590)	●



DB-5015

Spec	ETRTO	Note
20x1.75	(47-406)	●



HF-183 (Heavy Duty)

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	●



HF-162

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	●



HF-160

Spec	ETRTO	Note
26x1 1/2x1 5/8	(44-584)	●



HF-156A Touring Tires

Spec	ETRTO	Note
26x1 3/8	(37-590)	● ●



HF-151A

Spec	ETRTO	Note
26x1 1/4	(32-571)	●



HF-145

Spec	ETRTO	Note
28x1 5/8x1 1/2	(44-635)	●



HF-124

Spec	ETRTO	Note
24x1.75	(47-507)	● ●
26x1.75	(47-559)	● ●
28x1.75	(47-622)	● ●



HF-156 Touring Tires

Spec	ETRTO	Note
27x1 1/8	(28-630)	●
27x1 1/4	(32-630)	● ● ●
28x1 5/8x1 1/8	(28-622)	● ●
700x23C	(23-622)	● ● ●
700x25C	(25-622)	●



HF-151

Spec	ETRTO	Note
24x1 3/8x1 1/8	(28-541) (600x28A)	●
26x1 3/8	(37-590)	●
27x1 1/4	(32-630)	● ● ●
28x1 5/8x1 1/8	(28-622)	● ●
28x1 5/8x1 1/4	(32-622)	● ● ●



HF-142

Spec	ETRTO	Note
20x2.125	(57-406)	● ●
26x2.125	(57-559)	●



HF-121

Spec	ETRTO	Note
24x1.75	(47-507)	●
26x1.75	(47-559)	●
26x2.125	(57-559)	●



HF-153 Saw Liner Tires

Spec	ETRTO	Note
27x1 1/4	(37-630)	● ● ●
28x1 5/8x1 1/8	(28-622)	● ● ●
28x1 5/8x1 1/4	(32-622)	● ● ●



HF-146

Spec	ETRTO	Note
16x1.75	(47-305)	●
16x2.125	(57-305)	●
20x1.75	(47-406)	● ●
20x2.125	(57-406)	● ● ●



HF-133 (Heavy Duty)

Spec	ETRTO	Note
20x2.125	(57-406)	●
24x2.125	(57-507)	● ●
26x2x1 3/4	(54-571)	● ●
26x2.125	(57-559)	● ● ●



HF-120A

Spec	ETRTO	Note
14x1.75	(47-254)	● ●
16x1.75	(47-305)	● ●
20x1.75	(47-406)	● ● ●
24x1.75	(47-507)	● ●
26x1.75	(47-559)	● ●
26x2.125	(57-559)	● ● ●



HF-131

Spec	ETRTO	Note
20x2.00	(50-406)	●
20x2x1 3/4	(54-400)	●
26x2x1 3/4	(54-571)	●



HF-120

Spec	ETRTO	Note
14x1.75	(47-254)	●
26x1 3/8	(37-559)	● ●

URBAN

● TAIWAN

● CHINA

● THAILAND

CRUISER

HF-113

Spec	ETRTO	Note
24x1 3/8	(37-540)	●

HF-112 Road Master

Spec	ETRTO	Note
27x1 1/4	(32-630)	● ●

HF-111

Spec	ETRTO	Note
18x1 3/8	(37-400)	● ●
20x1 3/8	(37-451)	● ● ●
22x1 3/8	(37-501)	● ● ●
24x1 3/8	(37-540)	● ● ●
26x1 3/8	(37-590)	● ● ●

HF-110

Spec	ETRTO	Note
26x1 1/2	(40-584)	● ●
26x2.00		●
27x1 1/4	(32-630)	● ●
28x1 1/2	(40-635)	● ● ●
28x1 1/2x1 3/8		● ●
28x1 5/8x1 1/4	(32-622)	● ●
28x1 5/8x1 3/8	(37-622)	● ● ●
700x35C	(35-622)	●

HF-109 Cross Ranger

Spec	ETRTO	Note
14x1.75	(47-254)	●
16x1.90	(50-305)	●
24x1 3/8	(37-540)	● ● ●
26x1 3/8	(37-590)	● ● ●
26x1.95	(54-559)	●
28x1.75	(47-622)	●
700x35C	(37-622)	● ●
700x38C	(40-622)	● ● ●

HF-105 City Cavalier

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	●
16x1.75	(47-305)	●
20x1.75	(47-406)	●
20x1.95	(54-406)	●
24x1.75	(47-507)	●
26x1.50	(40-559)	● ●
26x1.95	(54-559)	● ● ●
700x38C	(40-622)	●

HF-103

Spec	ETRTO	Note
24x1.75	(47-507)	●
26x2.125	(57-559)	● ● ●

DB-1022

Spec	ETRTO	Note
16x3.00	(70-305)	●
20x2.00	(54-406)	●
20x3.00	(70-406)	●
24x2.125	(57-507)	●
24x3.00	(70-507)	●
26x2.125	(57-559)	● ● ●

DB-1012 Beach Bum

Spec	ETRTO	Note
24x2.125	(57-507)	● ●
24x3.00	(70-507)	●
26x2.125	(57-559)	● ● ●
26x3.00	(70-559)	● ● ●

DB-7060 Primera

Spec	ETRTO	Note
700x23C	(23-622)	●

HF-851

Spec	ETRTO	Note
20x2.125	(57-406)	●
24x2.125	(57-507)	● ●
26x2.125	(57-559)	● ● ●

HF-103

Spec	ETRTO	Note
24x1.75	(47-507)	●
26x2.125	(57-559)	● ● ●

RACING

DORADO RAAM

NEW

DB-7048 Dorado

Spec	ETRTO	Note
700x23C	(23-622)	●
700x25C	(25-622)	●
700x28C	(28-622)	●

DB-7047 Hypersonic

Spec	ETRTO	Note
20x1.35		●
700x20C	(20-622)	●
700x23C	(23-622)	● ●
700x25C	(25-622)	●
700x28C	(28-622)	●

CRUISER

RACING



DB-7043 Stinger

Spec	ETRTO	Note
20x1.00		●
20x1.25		●
20x1 1/8		●
26x1.25		●
650x23C	(23-571)	●
650x26C	(26-571)	●
700x23C	(23-622)	● ●
700x25C	(25-622)	●
700x28C	(28-622)	● ●



HF-177 Slickster Ultra

Spec	ETRTO	Note
700x20C	(20-622)	●
700x23C	(23-622)	●
700x25C	(25-622)	●



DB-5060 El Jefe

NEW

Spec	ETRTO	Note
18x2.20		●
20x2.10		●
20x2.40		●
24x2.20		●



DB-5031 Fantasy

Spec	ETRTO	Note
18x1.95	(54-355)	● ●
20x1.95	(54-406)	● ●
20x2.10	(56-406)	●



HF-176

Spec	ETRTO	Note
700x20C	(20-622)	● ●



DB-5056

Spec	ETRTO	Note
20x1.95	(47-406)	●



DB-5026 Evil Clown

Spec	ETRTO	Note
16x2.125	(57-305)	●
20x1.95	(47-406)	● ● ●
20x2.10	(54-406)	● ●
20x2.35	(60-406)	●



DB-7001

Spec	ETRTO	Note
700x20C	(20-622)	●
700x23C	(23-622)	●
700x25C	(25-622)	●



HF-156

Spec	ETRTO	Note
27x1 1/8		●
27x1 1/4		● ● ●
28x1 5/8x1 1/8		● ●
700x23C	(23-622)	● ● ●
700x25C	(25-622)	● ●



DB-5055

Spec	ETRTO	Note
20x1.75	(47-406)	●



DB-5002 Wildlife Tiger

Spec	ETRTO	Note
16x1.75	(47-305)	●
20x2.125	(57-406)	● ● ●



HF-187 Speedy Arrow

Spec	ETRTO	Note
700x20C	(20-622)	● ● ●
700x25C	(25-622)	● ● ●



HF-156B

Spec	ETRTO	Note
27x1	(25-630)	● ●
700x20C	(20-622)	● ●



DB-5035

Spec	ETRTO	Note
20x1.95	(47-406)	● ●
20x2.10	(56-406)	●



DB-1046 Berm Master

Spec	ETRTO	Note
20x2.10	(56-406)	●
24x2.35	(60-507)	● ●
26x1.95	(47-559)	●
26x2.10	(54-559)	●
26x2.25		●
26x2.35	(60-559)	● ● ●
26x2.55		●



HF-884 X-Performer

Spec	ETRTO	Note
16x1.95	(54-305)	●
18x1.95	(54-355)	●
20x1.75	(47-406)	● ●
20x1.95	(54-406)	● ● ●
24x1.95	(54-507)	●



HF-833

Spec	ETRTO	Note
20x1.75	(47-406)	●



HF-864 Infection

Spec	ETRTO	Note
20x1.75	(47-406)	● ●
20x1.95	(54-406)	● ●



HF-831

Spec	ETRTO	Note
20x1.75	(47-406)	●



HF-841

Spec	ETRTO	Note
20x2.125	(57-406)	● ●



HF-164

Spec	ETRTO	Note
16x1.75	(47-305)	● ●
16x2.125	(57-305)	●
20x1.75	(47-406)	● ●
20x2.125	(57-406)	● ●



HF-836

Spec	ETRTO	Note
16x1.75	(47-305)	●
20x1.75	(47-406)	● ●



HF-148

Spec	ETRTO	Note
16x1.75	(47-305)	●
16x2.125	(57-305)	●
18x1.75	(47-355)	●
18x2.125	(57-355)	●
20x1.75	(47-406)	● ●
20x2.125	(57-406)	●



HF-147

Spec	ETRTO	Note
20x1.75	(47-406)	●



HF-144 Sinistar

Spec	ETRTO	Note
16x2.00		●
20x1.75	(47-406)	● ●
20x1.90	(50-406)	● ●
20x2.00		●



HF-118

Spec	ETRTO	Note
20x2.125	(57-406)	● ●



HF-143

Spec	ETRTO	Note
12 1/2x1.75x2 1/4	(47-203)	●
12 1/2x2 1/4	(62-203)	● ●
14x2.125	(57-288)	●
16x1.75	(47-305)	● ● ●
16x2.125	(57-305)	● ● ●
18x1.75	(47-355)	● ●
20x1.75	(47-406)	● ● ●
20x2.125	(57-406)	● ● ●
24x1.75	(47-507)	●
29x2.20	(56-622)	●



HF-143G

Spec	ETRTO	Note
12 1/2x2 1/4	(62-203)	● ●
14x1.75	(47-254)	●
14x2.125	(57-254)	● ●
16x1.75	(47-305)	● ● ●
16x2.125	(57-305)	● ● ●
18x1.75	(47-355)	● ●
18x2.125	(57-355)	● ●
20x1.75	(47-406)	● ● ●
20x2.125	(57-406)	● ● ●
24x1.75	(47-507)	●
24x2.125	(57-507)	●
26x1.75	(47-559)	●
26x2.125	(57-559)	●



DB-9021

Spec	ETRTO	Note
22x2.125	(57-456)	●



DB-7080 Kinetique

Spec	ETRTO	Note
16x1.95		●
18x2.125		●
20x2.125		●
22x2.125		●
24x2.125		●



DB-7075 Charger EXC.

Spec	ETRTO	Note
28x1.75	(47-622)	● ●



DB-7059

Spec	ETRTO	Note
16x2.125	(57-305)	●
16x2.50		●
16x3.00		●
18x2.125	(57-355)	●
18x3.00		●
20x1.75	(47-406)	●
22x1.75	(47-456)	●
24x1.75	(47-507)	●



DB-9003

Spec	ETRTO	Note
20x3.00		●



DB-7077 Sparque

Spec	ETRTO	Note
700x40C	(42-622)	●



DB-9002

Spec	ETRTO	Note
16x3.50		●
20x4 1/4		● ●
24x2.10	(56-507)	● ●
24x4 1/4		●



DB-7076 Electrique

Spec	ETRTO	Note
700x40C	(42-622)	●



DB-7072 Charger

Spec	ETRTO	Note
700x40C	(42-622)	● ●



DB-7023

Spec	ETRTO	Note
14x1.50		● ●
16x1.75	(47-305)	● ●
20x1.35		●
20x1.50	(40-406)	●
20x1.75	(47-406)	●



DB-7009

Spec	ETRTO	Note
16x3.0		●

Inch	Size	ETRTO	Pattern
12"	12 1/2x1.75x2 1/4	(47-203)	DB-7045, DB-5042, HF-182, HF-143
12"	12 1/2x2 1/4	(62-203)	HF-822, HF-183, HF-180, HF-162, HF-143, HF-143G, HF-105
12"	12x1 3/8	(37-248)	HF-161
14"	14x1 3/8x1 5/8	(44-288)	DB-7045, HF-822, HF-161
14"	14x1.50		DB-7023
14"	14x1.75	(47-254)	DB-5042, HF-878, HF-827, HF-160A, HF-143G, HF-120, HF-120A, HF-109
14"	14x2.00	(50-254)	DB-7053
14"	14x2.125	(57-254)	DB-5027, HF-888, HF-822, HF-143, HF-143G
16"	16x1.50	(37-305)	DB-7053, DB-7034
16"	16x1.75	(47-305)	DB-7045, DB-7044, DB-7023, DB-5002, HF-878, HF-836, HF-827, HF-822, HF-174, HF-164, HF-161A, HF-160A, HF-148, HF-146, HF-143, HF-143G, HF-141, HF-120A, HF-105, HF-101A
16"	16x1.90	(50-305)	DB-5042, HF-174, HF-109
16"	16x1.95		DB-7080, HF-884
16"	16x2.00	(54-305)	DB-7053, HF-878, HF-801, HF-144, HF-101A
16"	16x2.125	(57-305)	DB-7059, DB-7042, DB-5026, HF-822, HF-164, HF-148, HF-146, HF-143, HF-143G, HF-141
16"	16x2.50	(64-305)	DB-7059, DB-7042
16"	16x3.00		DB-7059, DB-7042, DB-7009, DB-1022
16"	16x3.50		DB-9002
18"	18x1 3/8	(37-400)	HF-111
18"	18x1.25		DB-7053
18"	18x1.75	(47-355)	HF-827, HF-160A, HF-148, HF-143, HF-143G
18"	18x1.95	(54-355)	DB-5031, DB-5014, HF-884
18"	18x2.125	(57-355)	DB-7080, DB-7059, DB-7042, HF-148, HF-143G
18"	18x2.20		DB-5060
18"	18x2.50	(64-355)	DB-7042
18"	18x3.00		DB-7059
20"	20x1 1/8	(28-451)	DB-7043, DB-7010
20"	20x1 3/8	(37-451)	HF-111
20"	20x1.00		DB-7043
20"	20x1.25		DB-7043
20"	20x1.35		DB-7047, DB-7023
20"	20x1.50	(40-406)	DB-7023
20"	20x1.75	(47-406)	DB-7059, DB-7045, DB-7044, DB-7042, DB-7033, DB-7023, DB-5015, DB-1001A, HF-884, HF-878, HF-864, HF-836, HF-833, HF-831, HF-827, HF-822, HF-810, HF-174, HF-165, HF-164, HF-161A, HF-160A, HF-148, HF-148A, HF-147, HF-146, HF-144, HF-143, HF-143G, HF-141, HF-120A, HF-107, HF-105

Inch	Size	ETRTO	Pattern
20"	20x1.90	(50-406)	HF-144
20"	20x1.95	(54-406)	DB-7053, DB-5056, DB-5055, DB-5035, DB-5031, DB-5026, HF-884, HF-864, HF-827, HF-815, HF-105
20"	20x2.00	(54-406)	DB-1022, HF-878, HF-835, HF-828, HF-827, HF-827A, HF-822, HF-818, HF-815, HF-810, HF-801, HF-144, HF-131, HF-107, HF-107A, HF-101A
20"	20x2.10	(54-406)	DB-5060, DB-5035, DB-5031, DB-5026, DB-1046, HF-830
20"	20x2.125	(57-406)	DB-7080, DB-5002, HF-851, HF-841, HF-835, HF-827, HF-822, HF-179, HF-174, HF-164, HF-148, HF-146, HF-143, HF-143G, HF-142, HF-141, HF-133, HF-118
20"	20x2.35	(60-406)	DB-5026
20"	20x2.40		DB-5060
20"	20x2x1 3/4	(54-400)	HF-131
20"	20x3.00	(70-406)	DB-9003, DB-1022
20"	20x4 1/4		DB-9002
22"	22x1 3/8	(37-501)	HF-111
22"	22x1.75	(47-456)	DB-7059, DB-7042, HF-878, HF-101A
22"	22x1.95	(50-456)	DB-7034
22"	22x2.125	(57-456)	DB-9021, DB-7080
24"	24x1 3/8	(37-540)	DB-7045, DB-7020, DB-7010, HF-842, HF-163, HF-113, HF-111, HF-109
24"	24x1 3/8x1 1/8	(28-541) (600x28A)	HF-151
24"	24x1.50	(40-507)	DB-7051
24"	24x1.75	(47-507)	DB-7059, DB-7044, DB-1001A, HF-878, HF-827, HF-822, HF-810, HF-808, HF-174, HF-165, HF-148A, HF-143, HF-143G, HF-141, HF-124, HF-121, HF-120A, HF-105, HF-103, HF-101A
24"	24x1.90	(50-507)	HF-856, HF-174, HF-165, HF-104
24"	24x1.95	(54-507)	DB-1072, HF-884, HF-827, HF-822, HF-190, HF-189, HF-101
24"	24x2.00	(54-507)	DB-7053, HF-878, HF-828, HF-827A, HF-822, HF-818, HF-815, HF-810, HF-801, HF-101
24"	24x2.10	(56-507)	DB-9002, HF-888, HF-830, HF-823, HF-107, HF-107A
24"	24x2.125	(57-507)	DB-7080, DB-7053, DB-1022, DB-1012, HF-851, HF-827, HF-165, HF-148A, HF-143G, HF-133
24"	24x2.20		DB-5060
24"	24x2.35	(60-507)	DB-1046
24"	24x2.50	(64-507)	DB-1006
24"	24x2.60	(65-507)	DB-1034, DB-1006, DB-1006HP
24"	24x3.00	(70-507)	DB-1022, DB-1012, DB-1006, DB-1006HP
24"	24x4 1/4		DB-9002
24"	24x4.00	(100-507)	DB-9041

Inch	Size	ETRTO	Pattern
26"	26x1 1/2		HF-141, HF-110
26"	26x1 1/2x1 5/8	(44-584)	HF-160
26"	26x1 1/2x2		DB-7053
26"	26x1 1/4	(32-571)	HF-151A
26"	26x1 3/4	(47-571)	HF-130
26"	26x1 3/8	(37-590)	DB-7045, DB-7032, DB-7020, DB-7010, HF-842, HF-810, HF-163, HF-161, HF-160A, HF-156A, HF-151, HF-120, HF-111, HF-109
26"	26x1.25		DB-7043
26"	26x1.50	(40-559)	DB-7053, DB-7051, DB-7042, DB-7034, HF-878, HF-810, HF-165, HF-105
26"	26x1.75	(47-559)	DB-7053, DB-7045, DB-7044, DB-7042, DB-7035, DB-7034, DB-1021, HF-878, HF-827, HF-822, HF-813, HF-810, HF-174, HF-165, HF-161A, HF-143G, HF-141, HF-124, HF-121, HF-120A, HF-101A
26"	26x1.90	(50-559)	HF-878, HF-856, HF-174, HF-165, HF-107A, HF-104
26"	26x1.95	(52-559)	DB-7046, DB-1072, DB-1049, DB-1048, DB-1046, DB-1007, DB-1005, DB-1004, DB-1001A, HF-880, HF-878, HF-860A, HF-827, HF-823, HF-822, HF-820, HF-806, HF-190, HF-189, HF-171, HF-109, HF-105, HF-101, HF-100
26"	26x2.00	(54-559)	DB-1003, HF-880, HF-878, HF-856, HF-855, HF-828, HF-824, HF-822, HF-818, HF-815, HF-810, HF-801, HF-110
26"	26x2.10	(56-559)	DB-1072, DB-1070, DB-1046, DB-1006, DB-1001A, HF-889, HF-888, HF-860, HF-850, HF-840, HF-835, HF-830, HF-828, HF-827, HF-825, HF-823, HF-820, HF-817, HF-815, HF-115, HF-107, HF-107A
26"	26x2.125	(57-559)	DB-7053, DB-1022, DB-1012, HF-851, HF-827, HF-165, HF-149, HF-148A, HF-143G, HF-142, HF-141, HF-133, HF-121, HF-120A, HF-103
26"	26x2.20		DB-1075, DB-1003A, HF-889, HF-888
26"	26x2.25		DB-1046
26"	26x2.30	(58-559)	DB-1021, DB-1002, HF-830
26"	26x2.35	(60-559)	DB-1046, DB-1006
26"	26x2.50		DB-1075, DB-1006, HF-107
26"	26x2.55		DB-1046
26"	26x2.60		DB-1034, DB-1006HP
26"	26x2x1 3/4	(54-571)	HF-133, HF-131
26"	26x3.00	(70-559)	DB-1012, DB-1006, DB-1006HP
26"	26x4.00	(100-559)	DB-9041, DB-9040
27"	27x1	(25-630)	HF-156B
27"	27x1 1/8	(28-630)	HF-156
27"	27x1 1/4	(32-630)	HF-156, HF-153, HF-151, HF-112, HF-110
27"	27x1 3/8	(37-630)	HF-842

Inch	Size	ETRTO	Pattern
27.5"	27.5x1.75	(47-584)	DB-7053
27.5"	27.5x1.95	(50-584)	DB-1072
27.5"	27.5x2.10	(54-584)	DB-1078, DB-1072
27.5"	27.5x2.20	(56-584)	DB-1075, DB-1003A, HF-860A
27.5"	27.5x2.25	(57-584)	DB-1077
27.5"	27.5x2.20	(56-584)	DB-1075, DB-1003A, HF-860A
27.5"	27.5x2.35	(60-584)	DB-1078, DB-1077, DB-1075, DB-1003A, HF-860A
27.5"	27.5x2.40	(60-584)	DB-1082, DB-1081
27.5"	27.5x2.80	(70-584)	DB-1078
27.5"	27.5x3.00	(76-584)	DB-1080, DB-1072A
27.5"	27.5x3.25	(82-584)	DB-1080, DB-1072A
28"	28x1 1/2	(40-635)	DB-9020, DB-7020, HF-110
28"	28x1 1/2x1 3/8		HF-110
28"	28x1 5/8x1 1/8	(28-622)	HF-156, HF-153, HF-151
28"	28x1 5/8x1 1/4	(32-622)	DB-7035, HF-153, HF-151, HF-110
28"	28x1 5/8x1 3/8	(37-622)	DB-7020, DB-7010, HF-110
28"	28x1 5/8x1 1/2	(44-635)	HF-145
28"	28x1.75	(47-622)	DB-7075, DB-7053, DB-7045, DB-7044, DB-7042, DB-7034, HF-878, HF-810, HF-161A, HF-124, HF-109
28"	28x2.00	(50-622)	DB-7053
28"	28x2.35	(60-622)	DB-7053
29"	29x1.95	(50-622)	DB-1072
29"	29x2.10	(54-622)	DB-1078, DB-1072
29"	29x2.20	(56-622)	DB-1003, DB-1001A, HF-860A, HF-143
29"	29x2.35	(60-622)	DB-1075
29"	29x3.00	(76-622)	DB-1080, DB-1072A
29"	29x3.25	(82-622)	DB-1080, DB-1072A
650C	650x23C	(23-571)	DB-7043
650C	650x26C	(26-571)	DB-7043
700C	700x20C	(20-622)	DB-7047, DB-7001, HF-187, HF-177, HF-176, HF-156B
700C	700x23C	(23-622)	DB-7060, DB-7048, DB-7047, DB-7043, DB-7001, HF-177, HF-156
700C	700x24C	(24-622)	DB-7070
700C	700x25C	(25-622)	DB-7048, DB-7047, DB-7043, DB-7001, HF-187, HF-177, HF-156
700C	700x28C	(28-622)	DB-7088, DB-7048, DB-7047, DB-7043
700C	700x32C	(32-622)	DB-7053, DB-1076
700C	700x35C	(37-622)	DB-7053, DB-7046, DB-7045, DB-7044, DB-7041, DB-7035, DB-7034, HF-880, HF-822, HF-811, HF-166, HF-117, HF-110, HF-109
700C	700x38C	(40-622)	DB-7053, DB-7045, DB-7044, DB-7042, HF-878, HF-867, HF-822, HF-810, HF-185, HF-184, HF-117, HF-109, HF-105
700C	700x40C	(42-622)	DB-7077, DB-7076, DB-7072, DB-7044, DB-1078, HF-878, HF-811
700C	700x41C	(43-622)	HF-102